



U. S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
COTTON PROGRAM, MARKET NEWS BRANCH
3275 APPLING ROAD, MEMPHIS, TENNESSEE 38133
Telephone 901-384-3016



QUALITY OF COTTON CLASSED

Volume 6, No. 11

29-Oct-04

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY STATE,
WEEK AND SEASON ENDED October 28, 2004

<i>State</i>	<i>Week</i>	<i>Season</i>
UPLAND		
Alabama	80,395	285,762
Arizona	36,464	155,622
Arkansas	202,412	773,763
California	123,513	397,273
Florida	11,961	27,867
Georgia	201,856	603,471
Kansas	918	1,242
Louisiana	111,106	493,529
Mississippi	217,023	1,170,024
Missouri	81,510	287,826
New Mexico	2,326	2,326
North Carolina	127,625	453,493
Oklahoma	17,875	49,063
South Carolina	41,474	135,517
Tennessee	72,570	343,243
Texas	211,854	1,789,154
Virginia	8,467	39,228
United States	1,549,349	7,008,403
Percent tenderable	77.3	79.5
AMERICAN PIMA		
Arizona	600	862
California	39,477	118,821
New Mexico	165	165
Texas	429	429
United States	40,671	120,277
United States all cotton	1,590,020	7,128,680

MP_CN106

THIS REPORT CAN BE OBTAINED VIA THE WORLD WIDE WEB: <http://www.ams.usda.gov/cotton/mncs/index.htm>

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 28, 2004**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
		0.5	0.6	6.4	7.5	87.8	81.4	46.2	55.0	0.6	1.7	*	0.2	
	3	11.1	6.6	37.8	45.2	4.4	6.4	43.0	35.4	4.6	4.5	0.7	1.3	
	4	2.9	1.6	6.7	7.7	0.1	0.4	2.9	1.9	0.6	0.3	0.1	0.1	
	5	0.1	*	0.1	0.1	*	*	0.1	*	-	-	*	*	
	6	-	*	-	*	-	*	*	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	14.6	8.9	51.0	60.5	92.3	88.2	92.2	92.3	5.8	6.5	0.8	1.6
31	1-2	0.4	1.2	0.2	0.4	2.7	1.9	0.6	1.1	0.2	1.5	0.3	0.7	
	3	28.8	35.4	12.7	15.6	0.9	0.7	3.3	3.9	28.1	31.7	22.5	26.9	
	4	22.1	26.1	15.9	16.3	0.1	0.5	1.6	1.3	5.9	6.0	7.3	7.9	
	5	2.1	2.3	1.2	1.3	0.1	0.1	0.3	0.2	*	*	0.1	0.1	
	6	0.1	0.1	*	*	-	*	*	*	-	-	-	*	
	7	*	*	*	*	-	*	-	-	-	-	-	-	
	Total	-----	53.6	65.1	30.1	33.6	3.9	3.2	5.9	6.5	34.2	39.2	30.3	35.6
	41	1-2	0.1	0.1	*	*	0.1	0.1	*	*	*	*	0.2	0.2
3		9.7	8.6	2.5	0.8	*	*	0.4	0.2	31.2	29.3	31.0	27.7	
4		11.4	10.7	5.8	1.8	*	*	0.2	0.1	17.4	16.6	27.6	23.4	
5		2.6	2.2	1.2	0.5	*	*	0.1	*	0.1	0.1	0.7	0.7	
6		0.4	0.2	*	*	-	*	*	*	-	-	*	*	
7		0.1	*	-	-	-	*	-	-	-	-	*	*	
Total		-----	24.3	21.9	9.5	3.0	0.1	0.2	0.7	0.4	48.6	46.0	59.5	52.0
51		1-2	-	*	*	*	*	*	*	*	-	-	*	*
	3	0.3	0.1	0.3	0.1	-	*	-	*	1.1	1.0	1.1	0.7	
	4	0.9	0.3	0.6	0.2	-	-	-	*	2.3	1.9	2.2	1.4	
	5	0.2	0.1	0.1	*	-	-	-	-	*	*	0.2	0.1	
	6	*	*	*	*	*	*	-	-	-	-	*	*	
	7	*	*	-	-	-	-	-	-	-	-	-	*	
	Total	-----	1.5	0.5	1.0	0.3	*	*	*	*	3.4	2.9	3.5	2.2
	61	1-2	-	*	-	*	-	-	-	-	-	-	-	-
3		-	*	-	*	-	-	-	-	-	-	-	-	
4		-	*	-	*	-	-	-	-	-	-	-	-	
5		-	*	-	-	-	-	-	-	-	-	-	-	
6		-	*	-	-	-	-	-	-	-	-	-	*	
7		-	-	-	-	-	-	-	-	-	-	-	*	
Total		-----	-	*	-	*	-	-	-	-	-	-	-	*
71		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	-	
	4	-	*	-	-	-	-	-	-	-	-	*	-	
	5	-	*	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	*	-	-	-	-	-	-	-	-	*	*
	12 & 22	1-2	-	*	*	*	2.4	5.4	0.3	0.3	-	*	-	*
3		0.1	0.1	0.2	0.1	0.8	2.0	0.3	0.2	0.1	0.1	*	*	
4		*	*	0.1	*	*	0.1	*	*	*	*	-	*	
5		*	*	*	*	*	*	*	*	-	-	-	-	
6		-	-	-	-	-	*	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	0.2	0.1	0.3	0.1	3.2	7.6	0.7	0.5	0.1	0.1	*	*
32		1-2	*	*	*	*	0.1	0.2	*	*	*	0.1	*	*
	3	0.6	0.6	0.3	0.2	*	0.1	0.2	0.1	2.2	1.4	0.2	0.9	
	4	0.5	0.7	0.5	0.2	*	0.1	0.1	0.1	0.4	0.6	0.2	0.5	
	5	*	0.1	0.1	*	*	*	*	*	-	*	*	*	
	6	*	*	*	*	*	*	*	*	-	-	-	-	
	7	*	*	-	-	-	*	-	-	-	-	-	-	
	Total	-----	1.2	1.4	0.9	0.4	0.1	0.6	0.4	0.2	2.6	2.0	0.4	1.4
	42	1-2	*	*	*	*	*	*	*	*	*	*	*	*
3		1.1	0.6	1.0	0.3	*	*	*	*	2.8	1.4	1.2	1.8	
4		1.6	0.9	2.9	0.8	*	*	*	*	1.1	1.0	2.4	3.2	
5		0.2	0.1	1.0	0.3	*	*	*	*	*	*	0.1	0.2	
6		*	*	*	*	-	*	*	*	-	-	-	*	
7		*	*	-	-	-	*	-	-	-	-	-	*	
Total		-----	2.9	1.6	5.0	1.4	*	0.1	0.1	*	4.0	2.4	3.8	5.2
52		1-2	-	-	*	*	*	*	-	-	-	-	*	*
	3	0.2	0.1	0.4	0.1	-	-	*	*	0.1	0.1	0.3	0.3	
	4	0.8	0.2	1.0	0.3	*	*	*	*	1.0	0.6	0.9	0.8	
	5	0.2	0.1	0.3	0.1	*	*	*	*	0.1	*	0.1	0.1	
	6	*	*	*	*	*	*	-	-	-	-	-	*	
	7	*	*	-	-	-	*	-	-	-	-	-	*	
	Total	-----	1.3	0.4	1.7	0.5	*	*	*	*	1.1	0.7	1.3	1.2

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 28, 2004**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA		
		Week	Season											
Color 62	1-2	-	*	-	*	-	-	-	-	-	-	-	-	
	3	-	*	*	*	-	-	-	-	-	-	*	*	
	4	*	*	*	*	-	-	-	-	-	-	*	*	
	5	-	*	-	-	-	-	-	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	----	*	*	*	*	-	-	-	*	-	-	*	*
	13 & 23	1-2	-	-	*	*	0.1	0.1	-	-	-	-	-	*
3		*	*	*	*	0.1	*	*	*	-	-	*	*	
4		-	-	*	*	*	*	-	-	-	-	-	*	
5		-	*	-	-	*	*	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		----	*	*	*	*	0.1	0.1	*	*	-	-	*	*
33		1-2	*	*	*	*	*	*	-	-	-	-	*	*
	3	*	*	0.1	0.1	*	*	*	*	*	*	*	0.1	
	4	*	*	0.1	*	*	*	*	*	*	*	*	*	
	5	*	*	*	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	*	-	-	-	-	-	-	
	Total	----	0.1	0.1	0.3	0.1	0.1	*	*	*	0.1	*	*	0.1
	43	1-2	*	*	*	*	*	*	*	*	-	-	*	*
3		0.1	*	*	*	-	*	*	*	0.1	*	0.1	0.1	
4		0.1	0.1	0.1	*	*	*	-	-	*	*	0.2	0.2	
5		*	*	*	*	*	*	*	*	-	-	*	*	
6		*	*	-	-	-	-	-	-	-	-	-	-	
7		0.1	*	-	-	-	-	-	-	-	-	-	-	
Total		----	0.2	0.1	0.2	*	*	*	*	0.1	*	0.3	0.3	
53		1-2	-	-	-	-	-	-	-	-	-	-	-	*
	3	*	*	*	*	-	-	*	*	*	*	*	*	
	4	0.1	*	*	*	*	*	-	-	*	*	0.1	0.1	
	5	-	-	*	*	-	-	-	-	*	*	*	*	
	6	-	-	*	*	-	-	*	*	-	-	*	*	
	7	*	*	-	-	-	-	-	-	-	-	-	*	
	Total	----	0.1	*	0.1	*	*	*	*	*	*	0.1	0.1	
	63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		*	*	*	*	-	-	-	-	-	-	*	*	
4		*	*	-	-	-	-	-	-	-	-	-	*	
5		-	-	-	-	-	-	-	-	-	-	-	*	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		----	*	*	*	*	-	-	-	-	-	-	*	
24 - 54		1-7	*	*	*	*	-	-	-	-	*	*	*	0.1
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85 1/	1-7	-	*	*	*	-	-	*	*	-	-	*	*	
All Colors	8 2/	*	*	-	-	-	-	-	*	-	-	-	*	
EXTRANEOUS MATTER														
Bark - Level 1		1.0	0.6	0.3	0.1	0.1	0.2	0.1	0.1	2.5	1.9	3.0	2.1	
Bark - Level 2		-	-	-	-	-	-	-	-	*	*	*	*	
Grass - Level 1		0.1	0.3	0.1	0.1	0.1	0.7	0.2	0.3	0.1	0.2	0.2	0.2	
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	*	
Prep - Level 1		0.1	0.1	0.1	*	*	*	*	*	1.1	1.2	0.8	1.3	
Prep - Level 2		-	-	-	*	-	-	*	*	-	-	*	*	
Other - Level 1		-	*	*	*	0.4	0.8	0.2	0.1	*	*	*	*	
Other - Level 2		-	*	-	-	-	-	-	-	-	-	-	-	
STAPLE														
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-	
29		-	-	-	-	-	-	-	*	-	-	-	-	
30		-	-	-	-	*	*	*	*	-	-	*	*	
31		*	0.1	*	*	0.2	0.1	*	*	-	-	0.1	0.1	
32		1.2	2.0	*	*	0.6	0.8	0.1	0.2	0.1	0.1	0.8	0.9	
33		11.4	13.9	0.8	1.4	2.7	4.5	1.0	0.9	2.0	2.7	7.0	8.2	
34		30.3	31.7	11.3	13.1	10.4	19.0	4.0	4.2	23.6	23.5	28.6	30.9	
35		36.0	35.2	35.7	37.7	26.0	35.9	16.6	16.0	47.0	49.4	40.3	39.9	
36		17.7	14.4	39.0	37.0	33.8	27.4	25.3	25.2	23.2	21.8	18.8	16.4	
37		3.1	2.5	12.9	10.5	21.9	10.6	30.4	32.9	4.1	2.5	4.3	3.5	
38 & longer		0.3	0.2	0.4	0.4	4.5	1.7	22.5	20.5	*	*	0.2	0.2	
Average staple		34.7	34.5	35.5	35.4	35.7	35.2	36.5	36.5	35.0	35.0	34.8	34.7	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 28, 2004**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	-	-	2.2	5.3	10.9	13.4	6.1	7.3	*	*	72.6	72.6	
	3	-	1.3	9.0	22.2	43.3	49.7	25.4	34.7	0.2	0.2	4.2	4.2	
	4	-	3.8	1.0	1.0	4.0	5.5	4.1	4.9	*	*	*	*	
	5	-	4.6	*	*	*	0.1	0.1	0.1	0.1	-	-	-	-
	6	-	0.2	-	*	*	*	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	9.8	12.2	28.5	58.3	68.7	35.7	47.0	0.2	0.2	76.8	76.8
	31	1-2	-	-	0.4	1.2	0.4	0.7	0.4	0.7	0.3	0.2	10.7	10.7
3		0.2	0.3	11.6	31.9	18.8	16.7	12.6	21.0	18.8	18.9	5.3	5.3	
4		4.1	4.7	5.9	12.7	13.9	10.8	13.2	19.2	5.3	6.8	1.4	1.4	
5		2.3	8.1	0.3	0.9	0.4	0.5	1.7	2.0	0.3	0.2	0.2	0.2	
6		0.8	1.8	*	*	*	*	*	*	*	*	-	-	
7		-	0.2	-	*	-	-	-	*	-	-	-	-	
Total		-----	7.4	15.1	18.2	46.7	33.5	28.7	27.9	42.8	24.7	26.1	17.6	17.6
41		1-2	-	-	0.1	0.1	*	*	0.1	*	0.1	0.1	0.6	0.6
	3	-	-	22.2	7.2	2.5	0.8	9.5	2.3	35.9	31.6	1.0	1.0	
	4	3.4	2.6	16.5	7.1	3.8	1.1	11.5	3.3	28.9	30.0	2.6	2.6	
	5	12.1	8.9	1.0	1.4	0.4	0.1	2.6	1.0	3.7	2.7	1.1	1.1	
	6	21.9	16.3	*	0.1	*	*	*	*	0.2	0.1	*	*	
	7	12.0	8.9	-	*	-	*	-	*	-	*	-	-	
	Total	-----	49.3	36.6	39.8	15.9	6.7	2.1	23.8	6.7	68.9	64.6	5.4	5.4
	51	1-2	-	-	*	*	*	*	0.7	0.2	0.2	0.2	-	-
3		-	-	5.3	1.4	*	*	0.7	0.2	0.2	0.2	-	-	
4		-	-	8.0	2.1	*	*	1.4	0.3	0.4	0.4	-	-	
5		0.1	0.1	1.0	0.3	-	-	0.9	0.2	0.2	0.1	-	-	
6		0.1	0.1	*	*	*	*	*	*	*	*	-	-	
7		-	-	-	*	-	-	-	-	-	*	-	-	
Total		-----	0.2	0.2	14.2	3.9	*	*	3.1	0.7	0.8	0.7	-	-
61		1-2	-	-	*	*	*	*	-	*	-	*	-	-
	3	-	-	*	*	*	*	-	*	-	*	-	-	
	4	-	-	0.1	*	-	-	*	*	*	*	-	-	
	5	-	-	*	*	-	-	-	*	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	0.1	*	*	*	*	*	*	*	-	-
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	*	*	-	-	-	*	-	-	-	-	
4		-	-	*	*	-	-	-	*	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	*	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	*	*	-	-	-	*	-	-	-	
12 & 22		1-2	-	-	*	*	*	*	*	*	-	*	-	-
	3	-	-	*	*	0.2	0.1	0.2	0.1	*	*	-	-	
	4	-	0.4	*	*	0.1	*	0.1	0.1	*	*	-	-	
	5	-	1.8	*	*	*	*	*	*	-	-	-	-	
	6	-	-	-	-	-	-	-	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	2.2	0.1	0.1	0.3	0.1	0.3	0.2	*	*	-	-
	32	1-2	-	-	*	*	*	*	*	*	*	*	*	*
3		0.1	0.1	0.4	0.2	0.3	0.1	0.5	0.2	0.5	1.1	-	-	
4		1.9	1.5	0.3	0.2	0.3	0.1	0.7	0.4	0.3	0.7	-	-	
5		2.1	4.7	*	*	*	*	0.2	0.1	*	*	-	-	
6		-	0.6	*	*	*	*	*	*	-	*	-	-	
7		-	-	-	-	-	-	-	*	-	-	-	-	
Total		-----	4.0	6.8	0.7	0.5	0.7	0.2	1.4	0.7	0.9	1.8	*	*
42		1-2	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	3.2	0.9	0.1	*	1.2	0.3	1.6	2.5	*	*	
	4	2.2	1.6	4.7	1.4	0.2	0.1	3.1	0.7	2.0	3.2	-	-	
	5	15.6	11.5	1.0	0.4	*	*	1.4	0.3	0.5	0.4	0.1	0.1	
	6	6.2	4.9	*	*	-	-	*	*	0.1	0.1	-	-	
	7	5.1	3.8	*	*	-	-	-	*	-	-	-	-	
	Total	-----	29.1	21.8	9.0	2.7	0.4	0.1	5.8	1.3	4.2	6.1	0.1	0.1
	52	1-2	-	-	*	*	-	-	*	*	-	*	-	-
3		-	-	1.3	0.4	-	-	0.2	*	0.1	0.1	-	-	
4		-	-	2.7	0.8	*	*	0.7	0.2	0.1	0.1	*	*	
5		-	-	0.9	0.2	-	-	0.6	0.1	*	*	-	-	
6		0.2	0.2	0.1	*	-	-	*	*	*	*	-	-	
7		0.1	0.1	*	*	-	-	*	*	-	-	-	-	
Total		-----	0.3	0.2	5.0	1.4	*	*	1.5	0.3	0.2	0.3	*	*

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 28, 2004**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 62	1-2	-	-	-	*	-	*	-	*	-	*	-	*	
	3	-	-	*	*	*	*	*	*	-	-	-	-	
	4	-	-	0.1	*	-	*	-	*	*	*	-	-	
	5	-	-	*	*	-	*	-	*	*	*	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	0.1	*	*	*	*	*	*	*	-	-
	13 & 23	1-2	-	-	*	*	*	*	*	*	-	-	-	-
3		-	-	*	*	*	*	*	*	*	*	-	-	
4		-	-	-	*	*	*	*	*	*	*	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	*	*	*	*	*	*	*	*	-	-
33		1-2	-	-	*	*	*	*	*	*	*	*	-	-
	3	-	-	0.1	0.1	0.1	*	0.2	*	*	*	-	-	
	4	-	-	*	*	*	*	0.1	*	*	*	-	-	
	5	-	0.1	*	*	*	*	*	*	*	*	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	0.1	0.2	0.1	0.1	*	0.3	0.1	*	*	-	-
	43	1-2	-	-	*	*	-	-	*	*	-	-	-	-
3		-	-	0.1	*	*	*	*	*	0.1	0.1	-	-	
4		-	-	0.1	*	*	*	0.1	*	0.1	0.1	-	-	
5		-	-	*	*	*	*	*	*	*	*	-	-	
6		-	0.1	*	*	-	-	*	*	*	*	-	-	
7		0.2	0.2	-	-	-	-	-	-	-	-	-	-	
Total		-----	0.2	0.2	0.2	0.1	*	*	0.2	*	0.2	0.1	-	-
53		1-2	-	-	-	-	-	*	-	-	*	*	-	-
	3	-	-	*	*	*	*	*	*	*	*	-	-	
	4	-	-	0.1	*	-	*	*	*	*	*	-	-	
	5	-	-	*	*	-	-	*	*	-	*	-	-	
	6	-	-	*	*	-	-	-	-	-	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	0.2	*	*	*	*	*	*	*	-	-
	63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	*	*	-	-	-	-	-	-	-	-	
4		-	-	*	*	-	-	-	-	-	-	-	-	
5		-	-	*	*	-	-	*	*	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	*	*	-	-	-	-	-	-	-	
24 - 54		1-7	-	-	*	*	*	*	*	*	*	*	-	-
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85 1/	1-7	-	-	*	*	*	*	*	*	*	*	-	-	
All Colors	8 2/	9.4	6.9	-	*	-	*	-	*	-	*	-	-	
EXTRANEOUS MATTER														
Bark - Level 1		49.2	40.6	0.3	0.2	*	*	0.7	0.3	2.1	1.4	*	*	
Bark - Level 2		-	-	-	-	-	-	-	-	-	*	-	-	
Grass - Level 1		-	-	0.6	0.4	*	*	0.2	0.2	1.8	1.5	*	*	
Grass - Level 2		-	-	-	*	-	-	*	*	-	-	-	-	
Prep - Level 1		-	-	0.4	0.1	*	*	0.1	*	0.2	0.3	-	-	
Prep - Level 2		-	-	-	*	-	-	*	*	-	-	-	-	
Other - Level 1		-	-	*	*	*	0.1	*	*	-	*	-	-	
Other - Level 2		-	-	-	*	-	-	-	-	-	-	-	-	
STAPLE														
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-	
29		-	-	-	-	-	-	-	-	-	-	-	-	
30		-	-	-	-	-	-	-	-	-	-	-	-	
31		-	-	-	*	*	*	*	*	*	*	-	-	
32		10.7	13.0	*	0.1	0.1	0.1	0.1	0.1	0.3	0.3	-	-	
33		44.0	52.1	1.1	2.5	2.9	3.2	1.4	3.3	3.5	4.1	*	*	
34		38.5	29.7	10.7	17.5	22.3	23.6	12.2	19.3	15.5	17.3	6.3	6.3	
35		6.6	5.0	35.5	39.9	37.8	39.8	36.6	38.8	36.2	37.4	26.3	26.3	
36		0.1	0.1	38.9	30.2	29.5	27.3	36.2	29.7	34.1	32.4	37.9	37.9	
37		0.1	0.1	12.1	8.7	6.9	5.3	12.9	8.4	10.2	8.3	23.8	23.8	
38 & longer		-	-	1.6	1.1	0.5	0.6	0.7	0.4	0.3	0.1	5.7	5.7	
Average staple		33.4	33.3	35.6	35.3	35.2	35.1	35.5	35.2	35.3	35.2	36.0	36.0	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 28, 2004**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
		2.0	7.4	*	0.1	3.7	6.8	1.4	3.0	-	*	
	3	6.8	21.3	0.3	0.7	33.1	40.2	7.0	15.5	-	0.1	
	4	0.5	2.7	*	*	4.2	5.4	1.5	3.1	*	*	
	5	*	*	-	-	0.1	0.2	*	*	-	-	
	6	-	-	-	-	*	*	*	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	----	9.4	31.5	0.4	0.8	41.0	52.6	10.0	21.6	*	0.1
31	1-2	5.0	2.9	0.6	0.6	0.3	0.7	1.1	1.6	*	0.1	
	3	45.6	33.2	27.6	28.2	24.0	21.6	20.6	24.8	8.2	17.4	
	4	14.6	14.4	5.3	7.3	17.6	17.9	18.9	17.6	5.7	8.3	
	5	2.2	1.6	0.2	0.1	1.5	2.3	1.7	1.5	0.2	0.1	
	6	*	*	-	*	*	0.1	0.1	*	-	*	
	7	-	-	-	-	-	-	*	*	-	-	
	Total	----	67.4	52.1	33.6	36.2	43.4	42.6	42.4	45.6	14.1	25.9
	41	1-2	0.2	0.1	0.2	0.1	*	*	0.2	0.2	-	*
3		7.6	4.2	37.6	32.6	3.6	1.0	7.4	5.6	29.5	27.0	
4		6.5	5.5	19.9	19.8	6.2	1.8	14.7	9.3	43.4	37.8	
5		3.5	2.2	1.7	1.5	0.9	0.5	4.1	2.3	4.9	3.1	
6		0.9	0.4	0.1	0.1	*	0.1	0.4	0.2	0.1	0.1	
7		*	*	-	-	-	-	*	*	-	-	
Total		----	18.6	12.4	59.4	54.2	10.7	3.3	26.9	17.7	77.9	68.0
51		1-2	-	*	-	*	-	*	*	*	-	-
	3	*	*	0.7	0.5	0.1	*	0.3	0.4	0.1	*	
	4	*	*	0.7	0.7	0.1	*	0.6	0.7	0.2	0.2	
	5	0.2	0.1	0.1	0.1	*	*	0.4	0.3	*	0.1	
	6	0.2	0.1	*	*	-	*	0.1	*	*	*	
	7	-	-	-	-	-	-	*	*	-	-	
	Total	----	0.4	0.2	1.5	1.3	0.2	0.1	1.4	1.4	0.3	0.3
	61	1-2	-	*	-	*	*	*	*	*	-	-
3		*	*	-	-	*	*	*	*	-	-	
4		-	-	-	*	-	*	*	*	-	-	
5		*	*	-	-	-	-	*	*	-	-	
6		-	-	-	*	-	-	-	*	-	-	
7		*	*	-	-	-	-	-	-	-	-	
Total		----	*	*	-	*	*	*	*	-	-	
71		1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	
	4	-	-	-	-	-	-	*	*	-	-	
	5	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	----	-	-	-	-	-	-	*	*	-	-
	12 & 22	1-2	*	0.1	-	-	*	*	0.1	0.2	-	-
3		*	0.7	*	*	0.3	0.1	0.5	1.2	-	*	
4		*	0.4	-	-	0.1	0.1	0.2	0.5	-	*	
5		*	*	-	-	*	*	*	*	-	-	
6		-	-	-	-	-	*	-	*	-	-	
7		-	-	-	-	-	-	-	-	-	-	
Total		----	0.1	1.2	*	*	0.4	0.2	0.9	2.0	-	*
32		1-2	*	*	*	*	*	*	0.1	0.1	-	-
	3	0.5	0.3	0.3	0.7	0.8	0.3	3.1	2.0	0.4	0.3	
	4	0.8	0.6	0.1	0.5	0.7	0.3	3.5	2.7	0.4	0.3	
	5	0.5	0.4	*	*	0.1	0.1	0.4	0.5	*	*	
	6	*	*	-	-	*	*	*	*	-	-	
	7	-	-	-	-	-	-	-	*	-	-	
	Total	----	1.9	1.3	0.5	1.2	1.6	0.6	7.1	5.4	0.7	0.7
	42	1-2	-	*	-	*	*	*	*	*	-	-
3		0.2	0.1	1.6	2.2	0.8	0.2	2.2	1.1	2.5	1.5	
4		1.1	0.5	1.7	3.2	1.1	0.3	5.0	2.4	3.4	3.0	
5		0.3	0.3	0.2	0.3	0.1	*	1.3	0.8	0.5	0.4	
6		0.1	0.1	*	*	*	*	0.2	0.1	*	*	
7		-	-	-	-	-	-	-	-	-	-	
Total		----	1.7	1.0	3.5	5.6	2.1	0.5	8.7	4.4	6.5	4.9
52		1-2	-	-	-	-	*	*	*	*	-	-
	3	*	*	0.2	0.1	0.1	*	0.2	0.1	*	*	
	4	0.1	*	0.5	0.3	0.1	*	0.4	0.3	0.1	*	
	5	0.1	*	0.1	0.1	*	*	0.2	0.2	0.1	*	
	6	*	*	*	*	-	-	*	*	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	Total	----	0.3	0.1	0.8	0.6	0.1	*	0.8	0.6	0.3	0.1

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 28, 2004**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 62	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	-	-	
	3	-	-	-	-	*	*	*	*	-	-	
	4	-	-	*	*	*	*	*	*	-	-	
	5	*	*	-	-	-	-	*	*	-	-	
	6	-	-	-	-	-	*	*	*	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	Total	-----	*	*	*	*	*	*	*	*	-	-
	13 & 23	1-2	-	-	-	-	-	-	*	*	-	-
3		-	*	-	*	*	*	*	*	*	*	
4		-	*	-	-	*	*	*	*	-	-	
5		-	-	-	-	-	-	*	*	-	-	
6		-	-	-	-	-	-	*	*	-	-	
7		-	-	-	-	-	-	-	-	-	-	
Total		-----	-	*	-	*	*	*	0.1	0.1	*	*
33		1-2	-	-	-	-	*	*	*	*	-	-
	3	0.1	0.1	*	*	0.1	*	0.3	0.2	*	*	
	4	0.1	0.1	*	*	0.1	*	0.3	0.3	*	*	
	5	*	*	-	-	*	*	*	0.1	-	-	
	6	-	-	-	-	*	*	*	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	-----	0.2	0.1	*	*	0.2	0.1	0.6	0.5	*	*
	43	1-2	-	-	-	-	*	*	*	*	-	-
3		*	*	0.1	0.1	0.1	*	0.4	0.1	*	*	
4		*	*	0.1	0.1	*	*	0.4	0.3	0.1	*	
5		*	*	*	*	*	*	0.1	0.1	-	-	
6		-	-	-	-	-	-	*	*	-	-	
7		-	-	-	-	-	-	*	*	-	-	
Total		-----	*	*	0.1	0.1	0.1	*	0.9	0.5	0.1	*
53		1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	0.1	*	*	*	*	*	-	-	
	4	-	-	0.1	*	*	*	0.1	*	-	-	
	5	-	-	*	*	-	-	0.1	*	-	-	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	Total	-----	-	-	0.1	0.1	*	*	0.2	0.1	-	-
	63	1-2	-	-	-	-	-	-	-	*	-	-
3		-	-	-	-	-	-	*	*	-	-	
4		-	-	-	-	-	-	*	*	-	-	
5		-	-	-	-	-	-	-	*	-	-	
6		-	-	-	-	-	-	-	*	-	-	
7		-	-	-	-	-	-	-	*	-	-	
Total		-----	-	-	-	-	-	-	*	*	-	-
24 - 54		1-7	*	*	-	-	*	*	0.1	0.1	-	-
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-	
81 - 85 1/	1-7	-	-	-	-	-	-	*	*	-	-	
All Colors	8 2/	*	*	-	-	-	-	*	*	-	-	
EXTRANEOUS MATTER												
Bark - Level 1		5.4	4.6	1.8	1.2	0.2	0.3	17.5	14.9	2.0	1.4	
Bark - Level 2		-	-	-	-	-	-	-	*	-	-	
Grass - Level 1		0.1	*	1.0	0.8	0.1	0.2	0.3	1.8	1.0	0.9	
Grass - Level 2		-	-	-	-	-	-	*	*	-	-	
Prep - Level 1		*	*	0.1	0.2	*	*	0.1	0.2	0.2	0.3	
Prep - Level 2		-	-	-	-	-	-	*	*	-	-	
Other - Level 1		*	*	-	*	*	*	*	*	-	-	
Other - Level 2		-	-	-	-	-	-	*	*	-	-	
STAPLE												
28 & shorter		-	*	-	-	-	-	-	*	-	-	
29		0.1	0.1	-	-	-	-	*	*	-	-	
30		0.4	0.2	-	-	-	-	0.1	*	-	-	
31		0.8	0.5	*	*	*	*	0.3	0.2	-	*	
32		1.0	0.7	0.3	0.4	1.2	1.3	2.7	1.8	0.1	0.2	
33		2.7	2.0	3.0	3.6	15.1	15.6	10.0	6.8	3.0	3.6	
34		9.1	6.9	18.5	20.6	40.1	41.3	19.9	13.3	16.6	18.6	
35		21.9	16.7	42.9	43.0	29.8	31.5	25.3	19.2	38.4	34.9	
36		33.8	29.7	29.9	27.3	11.6	9.1	23.8	22.4	36.5	33.7	
37		26.2	33.5	5.3	4.9	2.0	1.2	16.2	29.1	5.3	8.8	
38 & longer		4.0	9.7	0.1	0.2	*	*	1.8	7.2	*	0.1	
Average staple		35.8	36.1	35.2	35.1	34.4	34.4	35.1	35.7	35.2	35.2	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 28, 2004**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season										
STRENGTH 1/	Pct.											
17 & below	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	*	*
22	-	*	-	*	*	*	-	*	-	-	*	*
23	0.1	0.1	*	*	*	0.1	*	*	-	*	*	*
24	0.4	0.4	0.1	0.1	0.3	0.7	*	*	0.1	0.1	0.1	0.1
25	2.0	2.4	0.4	0.4	1.5	3.2	0.1	0.2	0.2	0.3	0.4	0.5
26	7.3	8.3	2.0	1.8	3.5	7.6	0.3	0.5	2.3	2.1	1.8	2.0
27	15.6	16.9	6.7	6.9	7.7	13.9	0.7	1.0	7.7	8.0	6.9	7.2
28	22.4	22.6	17.4	19.1	13.6	19.4	1.4	1.4	21.5	20.3	17.2	17.7
29	20.2	19.9	27.4	29.7	18.8	20.0	2.2	2.5	32.8	30.1	26.1	26.0
30	13.4	12.7	23.9	23.2	21.9	16.3	5.3	6.3	22.6	23.0	23.2	22.6
31	9.1	8.3	13.0	11.2	17.6	10.6	11.5	12.4	9.3	11.1	13.6	13.4
32	5.3	4.8	5.6	4.6	9.3	5.2	16.2	16.9	2.7	3.9	6.7	6.8
33	2.9	2.3	2.4	2.1	3.8	2.1	21.9	23.1	0.7	0.9	2.9	2.9
34	1.0	0.9	0.6	0.6	1.3	0.7	23.5	21.5	0.1	0.1	0.9	0.9
35	0.3	0.3	0.3	0.2	0.5	0.2	12.6	10.5	*	*	0.1	0.1
36 & above	0.1	0.1	0.1	0.1	0.1	0.1	4.3	3.8	-	*	*	*
Average	28.8	28.7	29.4	29.3	29.6	28.8	32.8	32.7	29.1	29.2	29.5	29.5
MIKE												
24 & below	-	*	-	-	-	*	-	-	-	-	-	-
25	-	*	-	-	-	*	-	-	-	-	-	-
26	*	*	-	*	-	*	*	*	-	-	-	-
27	-	*	-	*	-	*	*	*	-	-	-	-
28	*	*	*	*	-	*	-	-	-	-	*	*
29	*	*	*	*	-	*	*	*	-	-	-	*
30	0.1	*	*	*	*	*	-	*	-	-	*	*
31	0.2	0.1	*	*	*	0.1	*	*	-	*	*	*
32	0.2	0.2	*	0.1	*	0.1	*	*	-	-	0.1	*
33	0.5	0.4	0.1	0.1	*	0.1	0.1	0.2	*	*	0.1	0.1
34	0.8	0.5	0.3	0.3	0.1	0.1	0.2	0.3	0.1	0.1	0.2	0.1
35	1.4	1.1	0.8	0.8	0.3	0.2	0.4	0.5	0.4	0.3	0.5	0.3
36	2.2	1.8	1.7	1.7	0.9	0.4	0.8	1.0	1.5	1.0	0.9	0.6
37	2.8	2.9	2.6	2.9	1.2	0.7	1.8	1.9	2.4	1.7	1.6	1.1
38	3.9	4.1	3.5	4.2	1.3	1.2	3.3	3.2	2.3	1.8	2.3	1.7
39	5.0	5.0	4.7	5.9	2.0	2.0	5.3	4.9	2.9	3.0	3.3	2.7
40	5.8	6.0	6.5	7.4	2.8	2.9	7.6	7.1	5.4	4.6	4.8	3.9
41	6.4	6.7	7.4	8.8	3.3	4.0	9.1	9.2	9.4	7.9	6.6	5.5
42	6.8	7.4	8.5	9.6	4.1	5.4	10.5	10.7	10.7	8.7	7.9	7.1
43	7.9	8.4	9.9	10.1	5.1	6.8	11.4	12.3	12.5	11.0	9.5	9.1
44	9.2	9.2	10.6	9.9	6.7	7.9	11.3	11.7	10.0	11.5	10.8	11.3
45	9.9	9.5	11.3	9.5	8.0	8.3	10.5	9.9	10.6	11.4	11.3	12.3
46	10.0	9.4	10.0	8.3	9.6	9.0	9.2	8.7	9.1	10.2	11.4	12.3
47	8.5	8.4	7.8	7.0	10.9	9.5	6.9	7.3	8.3	9.5	10.0	10.8
48	6.8	6.9	5.5	5.4	11.2	9.6	5.1	5.1	6.8	9.4	7.3	8.4
49	4.9	5.4	3.6	3.6	10.2	9.4	3.2	3.2	4.0	4.6	4.7	5.6
50	3.2	3.2	2.4	2.2	8.0	8.0	2.1	1.8	2.6	2.5	2.9	3.4
51	1.8	1.9	1.4	1.3	6.8	6.1	0.8	0.6	0.9	0.6	1.8	2.0
52	0.9	1.0	0.7	0.6	3.9	3.9	0.2	0.2	*	*	1.1	1.1
53	0.5	0.4	0.3	0.2	1.9	2.0	0.1	*	*	*	0.5	0.4
54	0.2	0.2	0.2	0.1	0.9	1.3	*	*	*	*	0.2	0.2
55	*	*	*	*	0.4	0.7	*	*	-	-	0.1	0.1
56	*	*	*	*	0.1	0.3	*	*	-	-	*	*
57	-	-	-	-	*	*	*	*	-	-	*	*
58	-	-	-	-	-	-	-	-	-	-	-	*
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	44	44	44	43	46	46	43	43	44	44	44	45

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 28, 2004**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.								
17 & below	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	*	-	-	-	-
21	-	-	-	-	-	-	-	*	*	*	-	-
22	-	-	-	*	-	*	-	*	*	*	-	-
23	-	-	*	*	*	*	*	*	0.1	0.1	-	-
24	-	-	*	*	0.2	0.2	0.1	0.1	0.8	0.7	*	*
25	-	-	0.1	0.2	1.1	0.9	0.3	0.4	4.3	3.7	1.7	1.7
26	-	-	0.9	1.0	4.5	4.0	1.0	1.5	11.5	11.6	4.1	4.1
27	0.1	0.1	4.4	4.9	14.4	13.0	3.6	5.5	20.7	21.0	11.3	11.3
28	7.6	8.3	13.7	15.2	27.5	27.3	10.8	15.2	25.0	24.3	23.8	23.8
29	29.7	26.5	24.7	26.6	29.1	30.4	22.8	26.8	18.6	18.3	28.5	28.5
30	49.5	51.4	26.7	25.3	14.4	15.7	28.7	26.0	10.5	10.9	13.3	13.3
31	9.8	11.4	15.6	14.0	5.7	5.6	19.5	15.1	5.1	5.6	9.7	9.7
32	2.0	1.4	7.0	6.5	2.1	1.9	8.4	6.1	2.2	2.5	4.7	4.7
33	1.3	1.0	3.5	3.3	0.7	0.7	3.2	2.2	0.8	0.9	1.8	1.8
34	-	-	2.1	1.9	0.1	0.2	1.0	0.7	0.2	0.3	0.7	0.7
35	-	-	0.9	0.8	*	*	0.4	0.3	*	*	0.1	0.1
36 & above	-	-	0.2	0.2	*	*	0.1	0.1	*	*	-	-
Average	29.7	29.7	29.8	29.7	28.6	28.7	29.9	29.6	28.1	28.1	28.9	28.9
MIKE												
24 & below	-	-	-	-	-	-	-	-	-	*	-	-
25	-	-	-	-	*	*	-	*	-	*	-	-
26	-	-	-	*	*	*	-	*	-	-	-	-
27	-	-	-	*	*	*	*	*	-	*	-	-
28	-	-	*	*	-	*	*	*	*	*	-	-
29	-	-	*	*	-	*	*	*	*	*	-	-
30	-	-	*	*	*	*	*	*	*	*	0.1	0.1
31	-	-	*	*	*	*	*	*	*	*	1.0	1.0
32	-	-	*	*	0.1	*	*	*	*	*	2.0	2.0
33	-	-	*	*	0.1	0.1	*	*	*	*	4.0	4.0
34	-	-	*	*	0.3	0.3	0.1	0.1	*	*	4.4	4.4
35	-	-	0.1	0.1	0.7	0.7	0.2	0.2	0.1	0.1	5.0	5.0
36	-	-	0.2	0.1	1.7	1.7	0.3	0.4	0.1	0.1	6.9	6.9
37	1.2	0.9	0.2	0.2	3.1	3.0	0.6	0.8	0.2	0.2	4.0	4.0
38	5.7	4.2	0.2	0.3	4.0	4.2	0.9	1.2	0.5	0.6	6.4	6.4
39	2.5	1.9	0.4	0.5	5.7	5.3	1.3	1.8	1.0	1.3	5.8	5.8
40	5.8	4.3	0.7	0.8	6.0	6.1	1.9	2.5	2.1	2.6	7.4	7.4
41	10.9	8.1	1.4	1.5	6.7	6.7	2.6	3.5	4.2	4.2	8.0	8.0
42	13.2	9.7	2.4	2.5	8.0	7.7	4.0	4.8	5.8	6.0	8.5	8.5
43	7.4	5.5	3.5	3.9	7.7	7.8	5.4	6.0	7.4	7.8	7.7	7.7
44	2.3	3.1	5.0	5.8	7.8	8.6	6.7	7.1	9.7	9.3	6.2	6.2
45	16.7	13.6	7.5	7.6	9.4	9.4	8.4	8.7	12.1	11.0	4.8	4.8
46	2.9	7.0	10.1	9.9	8.8	8.6	11.7	10.8	12.8	12.3	5.9	5.9
47	1.4	14.4	13.4	12.7	8.0	8.0	13.0	12.4	12.2	12.2	6.8	6.8
48	4.2	8.3	15.0	14.5	7.3	7.3	13.5	12.8	10.2	10.7	2.8	2.8
49	13.3	9.8	14.8	14.3	6.2	5.8	11.6	10.8	8.0	8.3	1.3	1.3
50	12.5	9.3	12.6	11.9	4.1	4.4	8.2	7.4	5.5	5.6	0.6	0.6
51	-	-	7.5	7.7	2.5	2.6	5.1	4.5	3.7	3.7	0.3	0.3
52	-	-	3.4	3.9	1.1	1.0	2.9	2.5	2.4	2.3	0.1	0.1
53	-	-	1.2	1.2	0.6	0.4	1.1	1.0	1.3	1.2	*	*
54	-	-	0.4	0.4	0.2	0.1	0.3	0.4	0.5	0.6	-	-
55	-	-	0.1	0.1	*	*	0.1	0.1	0.1	0.1	-	-
56	-	-	*	*	*	*	*	*	*	*	-	-
57	-	-	*	*	-	*	*	*	-	*	-	-
58	-	-	-	*	-	*	*	*	-	*	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	44	45	48	47	44	44	47	46	46	46	41	41

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 28, 2004**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	*	-	-	-	-	*	*	-	-
19	*	*	-	-	-	-	*	*	-	-
20	*	*	-	-	-	-	*	*	-	-
21	*	*	*	*	-	-	*	*	-	-
22	0.1	0.1	*	*	-	*	*	*	-	*
23	0.1	*	*	*	*	*	0.1	0.1	*	0.1
24	0.1	0.1	0.3	0.2	0.2	0.2	0.2	0.2	0.4	0.7
25	0.6	0.3	1.6	1.2	0.9	0.8	1.1	0.9	2.7	3.5
26	3.2	1.8	4.9	4.5	4.0	3.9	3.4	2.7	11.6	12.1
27	10.1	5.8	13.1	12.7	12.3	13.4	7.7	5.3	26.2	23.8
28	18.6	11.9	25.3	23.4	24.8	26.8	13.1	8.1	33.5	27.0
29	20.4	17.1	25.6	24.9	27.2	27.7	17.6	9.9	16.6	18.2
30	18.9	18.4	15.8	17.3	17.7	16.1	17.4	11.5	5.5	8.7
31	12.3	15.1	7.9	9.3	7.9	6.7	14.3	15.9	2.1	3.7
32	7.5	11.1	3.9	4.3	3.1	2.7	10.0	20.6	1.0	1.4
33	4.3	7.9	1.2	1.5	1.3	1.1	8.0	15.8	0.3	0.6
34	2.5	5.6	0.4	0.5	0.4	0.4	5.1	6.9	0.1	0.3
35	1.0	3.1	*	0.1	0.1	0.1	1.5	1.7	-	*
36 & above	0.3	1.7	*	*	*	*	0.5	0.4	-	*
Average	29.5	30.4	28.8	28.9	28.9	28.8	30.0	30.8	27.8	28.0
MIKE										
24 & below	-	-	-	*	-	-	0.1	*	-	-
25	-	-	-	*	-	-	0.1	*	-	-
26	*	*	-	*	-	*	0.5	0.1	-	-
27	*	*	-	*	-	*	1.1	0.2	-	-
28	0.2	0.1	-	*	*	*	1.4	0.2	-	*
29	0.2	0.1	-	*	*	*	1.7	0.3	-	*
30	0.3	0.1	-	*	*	*	2.5	0.4	-	-
31	0.6	0.3	-	*	*	*	3.4	0.6	-	-
32	0.9	0.4	*	*	*	*	3.7	0.6	*	*
33	0.8	0.5	*	*	0.1	0.1	4.2	0.7	*	*
34	1.3	0.8	0.1	*	0.3	0.2	4.9	0.9	*	*
35	1.6	1.2	0.1	*	0.7	0.4	5.4	1.2	*	*
36	3.1	2.0	0.1	0.1	1.1	0.7	5.5	1.4	*	*
37	3.4	2.5	0.3	0.3	1.8	1.2	5.7	1.7	*	0.2
38	4.6	3.3	0.8	0.5	2.6	2.1	5.7	2.3	0.2	0.7
39	6.3	4.8	1.2	1.1	3.3	3.3	5.6	3.1	0.9	1.8
40	7.6	6.1	1.9	1.9	4.8	5.3	5.6	4.3	4.3	4.1
41	9.7	8.0	3.0	2.9	6.2	7.2	5.4	5.8	9.3	8.2
42	11.7	9.6	4.7	4.2	8.0	8.9	5.4	7.2	10.3	10.4
43	11.3	10.7	6.2	6.0	9.3	10.3	5.2	8.6	10.2	10.8
44	10.5	11.9	9.7	8.6	9.4	11.2	4.8	9.9	12.2	12.0
45	9.1	11.4	12.1	10.9	10.8	11.3	4.3	10.4	11.9	13.7
46	5.9	8.7	13.4	13.0	10.0	10.5	4.2	10.2	11.6	13.6
47	3.4	6.1	13.1	13.5	9.5	8.9	3.9	9.2	9.6	10.0
48	2.0	4.1	10.9	12.0	8.1	7.1	3.1	7.5	7.3	6.2
49	1.9	3.1	9.3	9.8	6.0	4.9	2.3	5.6	5.3	4.0
50	1.4	1.9	6.6	6.9	3.8	3.0	1.8	3.6	3.4	2.2
51	1.1	1.3	3.8	4.3	2.1	1.7	1.3	2.3	2.4	1.4
52	0.6	0.7	1.9	2.3	1.2	1.0	0.7	1.1	0.9	0.5
53	0.3	0.4	0.6	1.0	0.5	0.4	0.3	0.4	*	*
54	0.1	0.1	0.2	0.5	0.3	0.2	0.1	0.1	-	*
55	*	*	0.1	0.1	0.1	0.1	*	*	-	-
56	-	-	*	*	*	*	*	*	-	*
57	-	*	-	*	*	*	*	*	-	-
58	-	-	-	-	-	*	-	*	-	-
59	-	-	-	-	-	-	-	*	-	-
60 & above	-	-	-	-	-	-	-	*	-	-
Average	42	43	46	46	45	44	39	44	45	45

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 28, 2004**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	*	-	-	-	*	-	-	-	-	-	-
25 - 26	*	*	-	*	-	*	*	*	-	-	-	-
27 - 29	*	*	*	*	-	0.1	*	*	-	-	*	*
30 - 32	0.4	0.3	0.1	0.1	0.1	0.2	*	*	-	*	0.1	0.1
33 - 34	1.3	0.9	0.3	0.5	0.1	0.1	0.3	0.4	0.1	0.1	0.4	0.2
35 - 36	3.5	2.9	2.5	2.6	1.3	0.6	1.2	1.5	1.9	1.3	1.3	0.9
37 - 42	30.8	32.0	33.3	38.6	14.6	16.2	37.5	37.1	33.1	27.8	26.5	21.9
43 - 49	57.3	57.1	58.7	53.8	61.8	60.5	57.6	58.3	61.4	67.6	65.0	69.8
50 - 52	5.9	6.1	4.6	4.1	18.7	18.0	3.1	2.5	3.6	3.1	5.8	6.5
53 & above	0.7	0.6	0.5	0.3	3.4	4.2	0.2	0.1	*	*	0.8	0.7
Average	44	44	44	43	46	46	43	43	44	44	44	45
HVI TRASH 1/												
00	-	-	-	*	*	*	*	*	-	-	-	-
01	0.1	0.2	1.5	2.5	52.1	56.1	38.1	39.7	0.2	0.6	*	0.1
02	3.6	4.3	13.1	19.3	39.0	34.6	43.4	43.8	2.5	4.9	1.9	2.8
03	15.9	16.0	23.5	30.8	7.4	6.9	13.8	12.9	14.4	15.4	12.3	14.2
04	20.9	21.8	21.2	21.7	1.0	1.3	3.2	2.7	24.6	23.9	24.9	25.5
05	21.1	22.0	14.6	11.7	0.2	0.4	0.9	0.7	24.3	23.2	23.5	22.6
06	15.7	15.3	11.6	7.4	0.1	0.2	0.4	0.2	16.8	16.3	17.5	16.6
07	9.8	9.8	6.2	3.1	0.1	0.1	0.1	*	9.4	9.1	10.3	9.5
08	5.8	5.3	4.0	1.8	*	0.1	*	*	3.9	3.7	5.2	4.7
09	3.8	3.0	2.6	1.0	*	0.1	*	*	2.4	2.0	2.6	2.4
10	1.4	1.1	0.9	0.4	*	*	*	*	0.6	0.5	0.8	0.8
11	0.7	0.5	0.6	0.2	*	*	-	-	0.4	0.3	0.4	0.4
12	0.4	0.3	0.2	0.1	*	*	-	-	0.2	0.2	0.3	0.2
13	0.2	0.1	*	*	*	*	-	-	0.1	0.1	0.1	0.1
14	0.2	0.1	*	*	-	*	-	-	0.1	0.1	0.1	0.1
15	0.1	*	*	*	*	*	*	*	*	*	*	*
16	0.1	*	*	*	-	-	-	-	*	*	*	*
17	0.1	*	*	*	-	-	-	-	*	*	*	*
18 & above	0.1	*	*	*	-	-	-	-	*	*	*	*
Average	0.53	0.51	0.44	0.38	0.16	0.16	0.19	0.18	0.50	0.49	0.52	0.51
UNIFORMITY 2/												
72 & below	-	-	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	-	-	-	-	*	*	*	*	-	-	*	*
77	*	*	*	*	0.3	0.3	*	*	*	*	*	*
78	0.5	0.4	*	*	1.8	2.3	0.2	0.2	0.8	0.7	1.7	0.9
79	3.3	2.7	0.5	0.8	8.1	9.7	1.1	1.3	5.8	5.2	12.2	9.5
80	12.1	11.6	4.8	5.7	26.3	27.3	5.8	7.0	29.6	26.6	35.1	33.0
81	28.4	29.6	20.4	21.0	38.0	35.1	27.0	31.4	41.2	44.8	33.0	34.7
82	37.9	38.6	43.9	44.7	21.1	20.2	47.7	45.9	17.7	18.8	14.4	17.1
83	15.6	15.3	26.3	24.4	4.2	4.6	16.4	12.8	4.2	3.6	3.2	4.2
84	2.0	1.8	3.9	3.3	0.3	0.4	1.7	1.2	0.6	0.4	0.3	0.5
85	*	*	0.2	0.1	*	*	0.1	0.1	*	*	*	*
86	-	-	*	*	-	-	*	*	-	-	-	-
87	-	-	-	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	81.5	81.6	82.0	82.0	80.8	80.8	81.8	81.7	80.8	80.9	80.6	80.7
Tenderable 3/	84.1	86.3	86.6	92.4	76.4	74.0	95.4	96.0	88.4	90.5	84.6	83.0
SAMPLES CLASSIFIED												
WEEK	80,395		202,412		36,464		123,513		11,961		201,856	
SEASON		285,762		773,763		155,622		397,273		27,867		603,471

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 28, 2004**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	-	-	-	-	-	-	-	-
25 - 26	-	-	-	*	*	*	*	*	*	*	*	*
27 - 29	-	-	*	*	*	*	*	*	*	*	*	*
30 - 32	-	-	*	*	0.1	0.1	0.1	*	*	*	3.1	3.1
33 - 34	-	-	*	*	0.4	0.4	0.1	0.1	*	*	8.4	8.4
35 - 36	-	-	0.2	0.2	2.4	2.4	0.5	0.6	0.2	0.2	11.9	11.9
37 - 42	39.2	29.1	5.3	5.7	33.5	33.1	11.3	14.5	13.8	14.8	40.1	40.1
43 - 49	48.3	61.7	69.2	68.8	55.1	55.5	70.3	68.7	72.5	71.5	35.5	35.5
50 - 52	12.5	9.3	23.5	23.5	7.7	7.9	16.2	14.5	11.6	11.5	0.9	0.9
53 & above	-	-	1.7	1.7	0.8	0.6	1.6	1.5	1.8	1.9	*	*
Average	44	45	48	47	44	44	47	46	46	46	41	41
HVI TRASH 1/												
00	-	-	*	*	-	*	-	*	-	*	*	*
01	-	-	0.5	2.7	4.4	5.6	1.4	3.3	*	0.1	41.8	41.8
02	-	0.1	5.8	16.8	20.7	27.7	10.9	19.0	1.9	2.0	30.5	30.5
03	-	1.3	14.9	24.9	28.0	33.3	19.6	26.0	12.6	12.4	15.8	15.8
04	0.1	2.2	19.8	20.3	20.7	18.4	18.6	19.3	22.4	21.8	4.9	4.9
05	1.2	5.6	20.5	14.4	12.2	8.2	14.6	12.4	23.6	23.8	2.4	2.4
06	3.1	7.8	14.9	8.8	7.9	4.3	13.3	9.4	17.3	18.1	2.6	2.6
07	3.2	6.9	11.1	5.8	3.4	1.5	7.6	4.5	10.6	11.1	1.0	1.0
08	4.5	7.2	6.1	3.1	1.6	0.7	5.5	2.8	5.3	5.3	0.5	0.5
09	5.9	5.8	3.7	1.8	0.8	0.3	4.1	1.8	3.1	2.9	0.2	0.2
10	8.1	6.4	1.1	0.6	0.2	0.1	2.0	0.8	1.3	1.1	0.1	0.1
11	8.7	6.9	0.8	0.4	0.1	*	1.4	0.5	0.8	0.7	*	*
12	10.5	8.5	0.5	0.2	*	*	0.7	0.2	0.5	0.4	*	*
13	7.3	5.8	0.1	0.1	*	*	0.1	*	0.2	0.2	-	-
14	9.2	6.9	0.1	*	*	*	0.1	*	0.1	0.1	-	-
15	8.3	6.3	*	*	*	*	*	*	*	*	-	-
16	5.2	3.9	*	*	*	*	*	*	*	*	-	-
17	3.4	2.5	*	*	-	-	*	*	*	*	-	-
18 & above	21.6	15.9	*	*	*	*	*	*	*	*	-	-
Average	1.31	1.15	0.52	0.41	0.37	0.32	0.49	0.40	0.53	0.53	0.21	0.21
UNIFORMITY 2/												
72 & below	-	-	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	-	-	-	-	-	-	-	-	-	-	*	*
77	-	-	*	*	*	*	-	*	*	*	*	*
78	-	-	0.3	0.4	*	*	*	*	0.2	0.2	1.0	1.0
79	-	-	3.7	4.6	0.1	0.2	1.2	1.9	1.2	1.6	8.5	8.5
80	4.8	3.5	18.1	21.1	1.6	2.1	8.7	12.1	6.3	7.8	31.2	31.2
81	59.2	65.1	36.4	33.9	12.8	16.6	30.0	29.1	21.8	23.9	40.1	40.1
82	20.6	20.0	28.6	26.1	48.9	49.9	34.9	33.3	38.9	38.9	15.4	15.4
83	15.5	11.4	11.2	11.8	32.5	28.0	20.8	19.5	25.8	23.0	3.6	3.6
84	-	-	1.6	1.9	3.8	3.1	4.2	3.9	5.6	4.4	0.1	0.1
85	-	-	*	*	0.1	0.1	0.2	0.2	0.2	0.1	-	-
86	-	-	*	*	*	*	-	*	-	-	-	-
87	-	-	-	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	81.5	81.4	81.3	81.2	82.2	82.1	81.8	81.7	82.0	81.9	80.7	80.7
Tenderable 3/	5.6	15.0	62.6	70.5	89.6	90.0	74.3	81.3	77.8	77.1	86.5	86.5
SAMPLES CLASSIFIED												
WEEK	918		111,106		81,510		217,023		127,625		2,326	
SEASON		1,242		493,529		287,826		1,170,024		453,493		2,326

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 28, 2004**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
24 & below	-	-	-	*	-	-	0.1	*	-	-	
25 - 26	*	*	-	*	-	*	0.6	0.1	-	-	
27 - 29	0.4	0.2	-	*	*	*	4.2	0.7	-	*	
30 - 32	1.8	0.8	*	*	0.1	*	9.6	1.6	*	*	
33 - 34	2.1	1.3	0.1	*	0.4	0.3	9.1	1.6	0.1	*	
35 - 36	4.7	3.2	0.2	0.2	1.8	1.2	10.9	2.5	*	0.1	
37 - 42	43.2	34.2	12.0	10.9	26.8	27.9	33.5	24.5	25.1	25.4	
43 - 49	44.3	55.8	74.6	73.8	63.0	64.2	27.9	61.3	68.1	70.3	
50 - 52	3.1	3.9	12.3	13.5	7.1	5.8	3.8	7.1	6.6	4.1	
53 & above	0.3	0.6	0.8	1.5	0.9	0.7	0.4	0.6	*	*	
Average	42	43	46	46	45	44	39	44	45	45	
HVI TRASH 1/											
00	-	*	-	-	-	*	-	*	-	-	
01	1.5	4.4	0.1	0.1	0.8	1.8	0.5	1.3	-	*	
02	19.8	20.7	3.0	3.4	9.8	16.7	5.5	12.0	0.3	0.8	
03	30.2	29.7	16.8	17.0	23.6	28.4	15.4	25.3	4.8	7.5	
04	17.9	18.3	25.5	24.9	22.8	21.1	19.4	21.6	14.4	18.4	
05	12.0	12.0	23.2	23.2	16.3	13.0	18.7	14.3	23.7	25.2	
06	6.9	6.5	14.8	15.1	12.9	9.6	14.9	10.4	23.7	21.9	
07	4.3	3.6	8.4	8.5	6.8	4.5	10.0	5.6	16.5	13.8	
08	2.0	1.7	3.7	3.7	3.9	2.6	6.0	3.6	9.2	6.7	
09	1.6	1.1	2.3	2.1	2.1	1.4	3.9	2.4	4.5	3.4	
10	0.9	0.5	0.9	0.8	0.5	0.5	2.1	1.3	1.6	1.2	
11	0.8	0.4	0.6	0.5	0.3	0.3	1.3	0.8	0.7	0.6	
12	0.8	0.4	0.4	0.3	0.1	0.1	0.9	0.5	0.4	0.3	
13	0.5	0.2	0.2	0.1	*	*	0.5	0.4	0.1	0.1	
14	0.3	0.2	0.1	0.1	*	*	0.3	0.2	0.1	0.1	
15	0.3	0.1	*	*	*	*	0.2	0.1	-	*	
16	0.1	*	*	*	*	*	0.1	0.1	-	*	
17	*	*	*	*	*	*	0.1	*	-	*	
18 & above	0.1	*	*	*	*	*	0.1	0.1	-	*	
Average	0.41	0.38	0.50	0.49	0.45	0.40	0.54	0.45	0.59	0.56	
UNIFORMITY 2/											
72 & below	-	-	-	-	-	-	-	-	-	-	
73	-	-	-	-	-	-	-	-	-	-	
74	-	-	-	-	-	-	-	-	-	-	
75	-	-	-	-	-	-	*	*	-	-	
76	*	*	-	-	-	-	*	*	-	-	
77	0.2	0.1	*	*	-	*	0.3	0.1	-	*	
78	1.3	0.8	0.3	0.5	*	*	2.0	0.8	*	*	
79	8.5	4.8	3.1	3.8	0.5	0.6	8.3	3.4	0.3	0.5	
80	23.2	16.3	13.5	15.3	5.1	5.8	22.6	9.9	2.5	3.4	
81	33.4	29.5	32.4	31.4	25.7	27.7	32.6	22.0	13.0	16.3	
82	24.0	30.0	32.6	30.3	45.2	45.0	23.3	33.7	45.8	41.8	
83	8.0	15.2	15.3	16.0	20.6	18.6	9.7	24.5	33.5	32.1	
84	1.4	3.3	2.7	2.7	2.9	2.2	1.2	5.3	4.8	5.8	
85	0.1	0.2	0.1	0.1	0.1	*	0.1	0.3	0.1	0.1	
86	-	-	-	-	*	*	*	*	-	-	
87	-	-	-	-	-	-	-	-	-	-	
88	-	-	-	-	-	-	-	-	-	-	
89	-	-	-	-	-	-	-	-	-	-	
90 & above	-	-	-	-	-	-	-	-	-	-	
Average	81.0	81.4	81.5	81.5	81.9	81.8	81.0	81.8	82.2	82.2	
Tenderable 3/	82.2	85.5	80.7	77.8	87.2	90.4	49.3	66.4	83.3	86.9	
SAMPLES CLASSIFIED											
WEEK	17,875		41,474		72,570		211,854		8,467		
SEASON		49,063		135,517		343,243		1,789,154		39,228	

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,
WEEK AND SEASON ENDED October 28, 2004**

Quality Designation	Leaf	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	35.0	47.1	37.8	36.9	7.9	7.9	-	-
	2	56.0	45.0	7.5	12.1	3.6	3.6	0.9	0.9
	3	-	-	*	0.1	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		91.0	92.1	45.4	49.1	11.5	11.5	0.9	0.9
02	1	1.3	1.7	7.8	7.3	24.2	24.2	1.6	1.6
	2	6.7	5.2	40.4	39.1	63.0	63.0	74.1	74.1
	3	-	-	3.8	3.4	1.2	1.2	17.7	17.7
	4	-	-	0.1	0.1	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		8.0	7.0	52.2	49.8	88.5	88.5	93.5	93.5
03	1	-	-	-	-	-	-	-	-
	2	-	-	0.8	0.4	-	-	1.6	1.6
	3	-	0.1	1.2	0.5	-	-	2.8	2.8
	4	0.2	0.1	0.2	0.1	-	-	0.7	0.7
	5	0.3	0.2	0.1	*	-	-	0.2	0.2
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		0.5	0.5	2.3	1.0	-	-	5.4	5.4
04	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	0.1	*	-	-	-	-
	5	0.5	0.3	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		0.5	0.3	0.1	*	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	*	*	-	-	-	-
06	1	-	-	-	-	-	-	0.2	0.2
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	0.2	0.2
07	1	-	0.1	-	-	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	0.1	*	*	-	-	-	-
STAPLE									
40 & shorter		-	-	-	-	-	-	-	-
42		-	-	*	*	-	-	-	-
44		30.3	36.3	8.0	9.7	3.0	3.0	5.4	5.4
46		67.3	61.6	61.5	61.8	73.3	73.3	72.7	72.7
48 & longer		2.3	2.1	30.4	28.5	23.6	23.6	21.9	21.9
Average		45.4	45.3	46.5	46.4	46.4	46.4	46.3	46.3
UNIFORMITY									
72 & below		-	-	-	-	-	-	-	-
73		-	-	-	-	-	-	-	-
74		-	-	-	-	-	-	-	-
75		-	-	-	-	-	-	-	-
76		-	-	-	-	-	-	-	-
77		-	-	-	-	-	-	-	-
78		-	-	-	-	-	-	-	-
79		-	-	-	-	-	-	-	-
80		-	-	*	*	-	-	-	-
81		-	-	*	*	-	-	-	-
82		0.3	2.4	0.4	0.4	-	-	-	-
83		7.8	13.3	3.8	5.0	-	-	0.5	0.5
84		29.5	33.6	20.5	24.4	3.0	3.0	7.5	7.5
85		44.7	37.0	47.4	45.7	15.2	15.2	28.9	28.9
86		16.3	12.6	23.7	21.3	46.7	46.7	42.0	42.0
87		1.3	0.9	4.1	3.1	29.7	29.7	19.1	19.1
88		-	-	0.1	*	5.5	5.5	2.1	2.1
89		-	-	-	-	-	-	-	-
90 & above		-	-	-	-	-	-	-	-
Average		84.7	84.5	85.0	84.9	86.2	86.2	85.8	85.8
SAMPLES CLASSED									
WEEK		600		39,477		165		429	
SEASON		862		118,821		165		429	

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,
WEEK AND SEASON ENDED October 28, 2004**

Quality Designation	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
24 & below	-	-	-	-	-	-	-	-
25 - 26	-	-	-	-	-	-	-	-
27 - 29	0.2	0.1	-	-	-	-	-	-
30 - 32	0.5	0.8	*	*	-	-	-	-
33 - 34	3.3	3.7	0.1	0.1	-	-	-	-
35 - 36	9.3	10.6	0.7	1.4	-	-	0.5	0.5
37 - 42	86.5	84.7	67.9	74.4	47.9	47.9	86.5	86.5
43 - 49	0.2	0.1	31.3	24.1	52.1	52.1	13.1	13.1
50 - 52	-	-	*	*	-	-	-	-
53 & above	-	-	-	-	-	-	-	-
Average	38	38	42	41	42	42	41	41
ALL RANGE MIKE								
24 & below	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-
29	0.2	0.1	-	-	-	-	-	-
30	0.2	0.1	-	-	-	-	-	-
31	0.3	0.3	-	-	-	-	-	-
32	-	0.3	*	*	-	-	-	-
33	1.2	1.5	*	0.1	-	-	-	-
34	2.2	2.2	*	0.1	-	-	-	-
35	3.5	4.2	0.2	0.4	-	-	-	-
36	5.8	6.4	0.5	1.0	-	-	0.5	0.5
37	10.7	10.9	1.4	2.6	1.2	1.2	1.6	1.6
38	23.7	24.6	5.0	7.2	3.0	3.0	7.7	7.7
39	26.7	27.7	9.1	13.0	11.5	11.5	10.3	10.3
40	17.7	15.4	14.5	17.1	6.1	6.1	18.9	18.9
41	6.7	5.2	19.0	18.4	7.9	7.9	25.2	25.2
42	1.2	0.8	19.0	16.1	18.2	18.2	22.8	22.8
43	0.2	0.1	15.3	13.0	20.0	20.0	9.3	9.3
44	-	-	10.3	7.5	17.0	17.0	2.8	2.8
45	-	-	4.3	2.7	8.5	8.5	0.9	0.9
46	-	-	1.0	0.6	4.8	4.8	-	-
47	-	-	0.3	0.2	1.2	1.2	-	-
48	-	-	*	*	0.6	0.6	-	-
49	-	-	*	*	-	-	-	-
50	-	-	*	*	-	-	-	-
51	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-
56	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-
Average	38	38	42	41	42	42	41	41
Strength								
17 & below	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-
32	-	-	*	*	-	-	-	-
33	0.3	0.8	*	0.1	-	-	-	-
34	2.5	4.5	0.1	0.1	-	-	-	-
35	8.8	11.9	0.3	0.3	-	-	-	-
36	21.8	23.4	0.9	1.0	-	-	0.7	0.7
37	26.8	24.8	3.8	3.8	-	-	2.6	2.6
38	23.0	21.2	10.5	9.6	6.7	6.7	11.9	11.9
39	11.2	9.0	15.5	15.9	12.7	12.7	21.4	21.4
40	4.5	3.5	20.7	20.9	16.4	16.4	28.9	28.9
41	1.0	0.7	21.3	20.7	21.8	21.8	19.1	19.1
42	-	-	13.8	14.2	21.2	21.2	10.5	10.5
43	-	-	7.6	8.1	16.4	16.4	3.3	3.3
44	-	-	3.5	3.7	3.6	3.6	1.6	1.6
45 & above	-	-	2.0	1.7	1.2	1.2	-	-
Average	37.1	36.9	40.4	40.4	41.1	41.1	40.0	40.0
EXTRANEIOUS MATTER								
Bark	0.7	0.5	*	*	-	-	-	-
Grass	0.7	0.8	*	*	2.4	2.4	1.2	1.2
Spindle Twist	-	-	0.1	*	-	-	-	-
Preparation	-	-	0.1	0.1	-	-	0.2	0.2

* Less than 0.05 percent.